	Contract Title	CCTV Monitoring
Contract Background	Register Number	• 047305
	Manager	• Jim McGowan
	Contractor(s)	OCS Ltd
	Term	• Core Term: 3 years (2 year extension option): 01.04.2012 to 31.03.15/17
	(start date, end date, extensions – current	Extension none yet taken
	expiry date in bold)	Contract 3 + 2 year extension option
	Key Reports (e.g. Gate Reports /	 Original Contract Report: ES 12025 (Part 2 report: not publicly available), 01.02.12 (Exec)
	Waivers / Extensions)	Extension Report – none
	, ,	• Waiver Reports – none
	Description (Contract summary plus latest developments)	 Contract covers the 24-hour staffing of the CCTV control room, to monitor the borough's CCTV systems, and to manage and operate the control room. Maintenance of the system is covered by a separate contract (047309). Contract prices are fixed for 3 years then will be increased annually by
		CPIX.
	Material Changes (significant changes since contract award)	 No material changes
	Regulatory requirement	Statutory Basis
	(Statutory basis for	Not a statutory service
	service provision & legislative compliance)	
	Total Contract Value	• £1,263,258
Financial Data	Finance Notes	• None
	2014/15	Latest Approved Budget: £256,150
		Actual Spend (out-turn): £258,038
	2015/16	• Budget: £259,990
Contract Monitoring	Contract Monitoring (Key outputs / outcomes compared with target)	TBC
	Benchmarking (comparative data / peer review etc)	 LB Bexley £700,000 p.a. and no ownership of system. LB Bromley has full ownership of all equipment and systems, and budget is £540,000
	Customer Satisfaction &	No complaints received
ing	Complaints Audits	No internal audits
	(Internal / External)	
Co	Linked Strategies / Plans (E&CS Summaries)	Public Protection Portfolio Plan
	Linked Services /	Link Contracts
	Contracts	Parking CCTV
	Portfolio Plan Reference	 Public Protection Portfolio Plan Outcome 4: We will protect the environment Aim 4.2: Provide the CCTV monitoring service for town centres and other
ntra		key areas
Contract Management	Risk Management (what might prevent us achieving our outcomes/targets?)	 ENV/ENP.0096: Failure to upgrade Closed Circuit Television (CCTV) system, which is no longer technically supported, leading to service loss – mitigated by control room rebuild.
	Critical ICT systems & Information Governance	 <u>Critical ICT Systems</u> Vigilant digital recorder and video wall control system and Meyertech matrix and camera control system. <u>Information Governance</u>
		Data retention rules apply.
	Communications	 No proposals to promote the service Open day planned for late 2015